

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20050114610"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 11:17
S2	1231	713/189.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 22:01
S3	212	S2 and (encrypt\$3 or encod\$3 or scrumb1\$3 or ciper or format\$3)near3(processor or microprocessor or (digital with signal with processor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 22:05
S4	71	S3 and ((private with data) or (private with state with data) or (implementation with specific with data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 22:07
S5	57	S3 and encrypt\$3 with((private with data) or (private with state with data) or (implementation with specific with data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 22:22
S6	894	"711"/\$.ccls. and (encrypt\$3 or encod\$3 or ciper or format\$3)near3(processor or microprocessor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 22:25
S7	94	S6 and ((private with state with data) or (private with data) or (implementation with specific with data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 22:27
S8	3	S7 and recover\$3 with private with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 22:28

## EAST Search History

S9	3	(obtain\$3 or gain\$3 or posses\$3)with metadata near (encrypt\$3 or unencrypt or ciper or unciper)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 10:46
S10	23	(obtain\$3 or gain\$3 or posses\$3)with metadata near5 (encrypt\$3 or unencrypt or ciper or unciper)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 11:11
S11	69	(obtain\$3 or gain\$3 or posses\$3)with metadata same (encrypt\$3 or unencrypt or ciper or unciper)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 10:46
S12	585	(obtain\$3 or gain\$3 or posses\$3)with metadata and (encrypt\$3 or unencrypt or ciper or unciper)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 10:47
S13	16	S11 and "713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 10:47
S14	10	S11 and "380"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 10:49
S15	5	S10 and "380"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 10:47
S16	23	(obtain\$3 or gain\$3 or posses\$3)with metadata near5 (encrypt\$3 or unencrypt or ciper or unciper)with metadata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 11:11

## EAST Search History

S17	1832	713/193.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 11:11
S18	8	S17 and obtain\$3 with metadata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 11:36
S19	6	provid\$3 with encrypt\$3 with digital with content near\$3 client with device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 11:37
S22	3377	(obtain\$3 or gain\$3 or poss\$4)and((unencrypt\$3 or enciper or unformat\$3 and encrypt\$3 or ciper or format\$3) with metadata)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 11:49
S23	49	(obtain\$3 or gain\$3 or poss\$4)near5((unencrypt\$3 or enciper or unformat\$3 and encrypt\$3 or ciper or format\$3) with metadata)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 11:49
S24	15	(obtain\$3 or gain\$3 or poss\$4)near3((unencrypt\$3 or enciper or unformat\$3 and encrypt\$3 or ciper or format\$3) with metadata)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 11:50
S25	912	read\$3 near (private or secret\$3 or protect\$3)with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 16:35
S26	448	S25 and software	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 16:35

## EAST Search History

S27	432	S26 and (storage or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 16:36
S28	103	S27 and "713"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 16:36
S29	100	S27 and "711"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 16:36
S30	9	S28 and instruction near processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 16:37
S31	15	S29 and instruction near processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 16:41
S32	566	instruct\$3 with set near (decod\$3 or read)with (data or information or message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 11:19
S33	111	S32 and (encrypt\$3 or encod\$3)with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 11:19
S34	85	S33 and processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 11:19

## EAST Search History

S36	15	S34 and "711"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 11:37
S37	2	"5091846".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 11:37